
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Graham Sommer

Attorney Docket No.: STFUP145

Application No.: 10/693,068

Examiner: Lamprecht, Joel

Filing Date: October 23, 2003

Group: 3737

Title: MEASUREMENT OF RENAL
EXTRACTION FRACTION USING CONTRAST
ENHANCED COMPUTED TOMOGRAPHY

Confirmation No. 2220

CERTIFICATE OF EFS-WEB TRANSMISSION

I hereby certify that this correspondence is being transmitted electronically through EFS-WEB to the Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450 on October 21, 2010.

Signed: /Kristina Gomez/
Kristina Gomez

COMMUNICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Prior to the payment of the Issue Fee, we noticed that your PALM System PTA Determination tab had the wrong filing date for an Amendment we filed on June 12, 2009, which resulted in an error in the PTA. The Patent Term Adjustment tab in PAIR indicated that we filed a Response on May 27, 2009 when in fact we filed it on June 12, 2009. Therefore, Applicant is only entitled to four additional days of PTA for this response as opposed to the nineteen days that were given.

Respectfully submitted,
BEYER LAW GROUP LLP

/James T. Aslanis, Jr./
James T. Aslanis, Jr.
Reg. No. 65,944

P.O. Box 1687
Cupertino, CA 95015-1687
408-255-8001